

#### MATERIAL SAFETY DATA SHEET

# Label Adhesive Remover

Citrus Solvent for Industrial Use

# **Section 1** Product and Company Identifications

Product Name: Label Adhesive Remover Citrus Solvent for Industrial Use

Product Use: Removal of adhesives, asphalt, tar, fresh blood, chewing gum, crayon,

grease, scuff marks, oil, soap scum, wax, etc.

Manufacturer: Ratermann Manufacturing, Inc.

601 Pinnacle Place

Livermore, California 94550 USA

For Information & Emergencies: (800) 264-7793 (7 a.m. - 4 p.m. PST) www.rmiorder.com

Preparation Date: 3 Apr 1992 Revision Date: 20 May 2009

..... = ..... = ..... = ...... =

MSDS #: R2009001

# **Section 2** Information on Ingredients

Product Mixture: No hazardous ingredients as per OSHA, 29CFR 1920.1200.

**Components:** This section is proprietary.

## Section 3 Hazardous Identification

**Emergency Overview:** Avoid inhalation of mist and contact with eyes.

**Primary Routes of Contact:** Ingestion, inhalation, and absorption.

Physical Hazard: Combustible mixture.

**Health Hazard** 

**Eye:** May cause irritation.

Skin: Repeated or prolonged exposure may cause dermatitis in sensitive individuals.

**Ingestion:** May cause gastric disturbances such as diarrhea.

**Vapor Inhalation:** Avoid mists, which may irritate mucous membranes.

Carcinogenicity Listings: NTP: None. IARC: None. OSHA: None. ACGIH: None.

**Signs and Symptoms of Overexposure:** Red, dry skin at point of contact.

**Medical Conditions Aggravated by Exposure:** Dermatitis may become aggravated by sensitive individuals.

### **Section 4** First Aid Procedures

**Eye:** Remove contact lenses, flush with water for at least 15 minutes while lifting eyelids. If irritation develops and persists, contact a physician.

**Skin:** Remove effected clothing. Wash skin thoroughly with soap and water. If irritation develops and persists, contact a physician.

**Ingestion:** If swallowed, do not induce vomiting. May cause chemical pneumonia if aspirated into lungs.

**Inhalation:** Move to fresh air. If irritation develops and persists, contact a physician.

## **Section 5** Fire and Explosion Hazard

Flash Point and Method: 162°F (71°C), PMCC, ASTM D-93.

Flammability: Combustible Class IIIA per OSHA, 29CRF 1910.106.

**Explosion Data:** Sensitivity to impact: None. Sensitivity to static charge: None.

Combustion Products: As with any organic material, combustion will produce carbon

dioxide and/or carbon monoxide.

**Extinguishing Media:** Water fog, carbon dioxide, dry chemical, foam.

Unusual Fire and Explosion Hazard: None.

Special Firefighting Precautions: Do not use streams of water; may spread burning liquid.

Firefighting Equipment: Use self-contained breathing apparatus in any enclosed area.

#### **Section 6** Accidental Release Measures

**Small Spills:** Absorb with suitable material. Dispose in an appropriate waste container.

**Large Spills:** Dike with soil, and/or other suitable materials avoiding the use of sawdust.

Recover usable product, rinse area clean.

**Personal Precautions:** No special requirements.

**Environmental Precautions:** No special requirements known.

# **Section 7** Handling and Storage

Safe Handling and Hygienic Practices: Avoid prolonged skin contact. Wash after using.

**Storage Requirements:** Store in tightly closed, original container away from flame or other ignition source.

## **Section 8** Exposure Controls

**Engineering Controls:** No special requirements.

**Personal Protection** 

**Ventilation:** No Special requirements. **Respiratory:** Avoid breathing mist.

**Eye Protection:** Eye protection based on splash potential. **Clothing:** Gloves recommended for sensitive individuals.

Exposure Limit Guidelines: None established.

# **Section 9** Physical and Chemical Properties

Appearance and Odor: Clear orange color with a citrus odor.

**Specific Gravity:** .799, 6.65 lbs./US gallon. **Vapor Density:** (Air=1), 4.5. (Estimated)

Vapor Pressure: <0.2 mm of Hg @ 20°C, <0.002 psi @ 68°F.

Evaporation Rate: (BuAc=1) 0.06.

pH of Concentrate: None.

**Solubility in Water:** Not Soluble. **Percent Volatile by Volume:** 100%

# **Section 10** Stability and Reactivity

Stability: Stabile.

**Conditions to Avoid:** Avoid contact with oxidizing agents and acids. **Hazardous Decomposition:** None expected under normal conditions.

Hazardous Polymerization: Should not occur.

# **Section 11** Toxicity Information

**Toxicity:** None known.

# **Section 12** Ecological Information

Biodegradability: Biodegradable.

Other: Liquid is not expected to have acute toxicity to aquatic organisms.

## **Section 13** Disposal Considerations

Biodegradability: Biodegradable.

RCRA Classification: This product has been evaluated for RCRA characteristics and does

not meet the criteria for a hazardous waste, if discarded in its purchased form.

Special Instructions: No special requirements.

# **Section 14** Transportation Information

**DOT Labeling:** The combustible liquid n.o.s. label is exempt in container under 110

gallons. Regulation 49CFR 173.118A.

Proper Shipping Name: Combustible liquid n.o.s.

Hazard Class: Combustible. Class 3

Identification Number: UN 1993. Packing group III

# **Section 15** Regulatory Information

**CERLA, State and Local Planning (Reportable Quantities):** Not required.

**OSHA Compliance:** This MSDS prepared in accordance with 29CFR 1910.1200 and ANSI Z400. 1 standard.

**SARA Title III Superfund:** The product in its purchased form is not regulated under the SARA "Hazard Categories" under Section 311 and 312 of the Superfund Amendment and the Reauthorization Act of 1986 (SARA Title III).

State Right-to-Know Compliance: Not required.

**TSCA:** Although components of this product find listing under the Toxic Substances Act (TSCA), this blended product requires no import or export declaration.

**Volatile Organic Compound (VOC) Content:** This product complies with all VOC requirements in all 50 states.

**Special Instructions:** No special requirements.

#### Section 16 Other Information

Hazard: (Based on HMIS Standard) Health: 0 Flammability: 2 Reactivity: 0 Hazard Index: Minimal: 0 Slight: 1 Moderate: 2 High: 3 Extreme: 4





We believe the information contained herein is accurate and current as of the date of this Material Safety Data Sheet. Nevertheless, the user must evaluate and determine whether the conditions for use and application of the product, including proper disposal thereof, are appropriate, safe, and legal.