


Balloon Blowers



Ratermann Manufacturing, Inc. carries a wide range of balloon blowers for that special holiday occasion.



Solid colors available



Red



Green



Yellow



Black

INDEX

Balloon Blowers

- Balloon Accessories
 - Replacement Part **12B-3**
 - Replacement Valve **12B-3**
 - Replacement Tip **12B-3**
- Balloon Regulators
 - Balloon Blower **12B-2, 3**
 - Wrench Tight **12B-2**
 - Economy **12B-2**
 - Mylar **12B-3**
- Cap Netting **12B-4**
- Fast Cap Tool **12B-4**
- High Pressure Cylinder Caps
 - Course Thread **12B-4**
 - Fine Thread **12B-4**
- Wrench **12B-2**
- Valve Cap Wrench **12B-4**

NEW PRODUCT



Custom colors available for 10 or more


Cylinder Covers

Part Number	Description
CYL-1-COVER-BL/WH	Blue with white strip
CYL-1-COVER-R	Red
CYL-1-COVER-G	Green
CYL-1-COVER-Y	Yellow
CYL-1-COVER-BK	Black

BALLOON REGULATORS

BALLOON BLOWER

Balloon Blower rugged all brass body, *Piston type* mechanism, drilled and tapped for tie hook and string cutter. Body contains an additional 1/4" NPT port to accommodate a second filler valve if desired.



- Plastic hand tight CGA 580 inlet connection with sintered bronze inlet filter
- 1 1/2" rear entry cylinder contents gauge (Model BLO-4-PHG)
- Weight *without gauge*: 1 lb. 6 oz.
with gauge: 1 lb. 8 oz.

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-4-PH	CGA 580 Hand Tight	None	Available Separately
BLO-4-PHTS	CGA 580 Hand Tight	None	Tie Hook String Cutter
BLO-4-PHG	CGA 580 Hand Tight	1 1/2" 4000 PSI Rear Gauge	Available Separately
BLO-4-PHGTS	CGA 580 Hand Tight	1 1/2" 4000 PSI Rear Gauge	Tie Hook String Cutter

PH – Plastic Hand Tight T – Tie

WRENCH TIGHT BALLOON BLOWER

Model BLO-2 Balloon Blower rugged all brass body, *Piston Type* mechanism, drilled and tapped for tie hook and string cutter. Body contains an additional 1/4" NPT port to accommodate a second filler valve if desired.



Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-2	CGA 580	None	Available Separately
BLO-2-TS	CGA 580	None	Tie Hook String Cutter
BLO-2-WG	CGA 580	1 1/2" 3000 PSI Rear Gauge	Available Separately
BLO-2-WGTS	CGA 580	1 1/2" 3000 PSI Rear Gauge	Tie Hook String Cutter

ECONOMY BALLOON BLOWER

Economy Balloon Blower features straight through construction, rugged brass body, *Piston Type* mechanism.



Pt # BLO-E1

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-E1	CGA 580 Hand Tight	None	None
BLO-E1WG	CGA 580 Hand Tight	1 1/2" 4000 PSI Rear Gauge	None

OUR NEW WRENCH -

EASILY OPENS CAPS, VALVES AND ATTACHES REGULATOR



Use for Tough to Open Valves
Pt # RAT-CW540580



For Hard to Turn Caps



Connecting Regulator
CGA 540 & CGA 580




Use as a Captured Wrench -
No more searching for a wrench.

BALLOON ACCESSORIES

BALLOON FILLER REGULATOR ACCESSORIES


Replacement Part



Part #	Description
BLO-RP1	Contents Gauge, 1 1/2" x 4000 PSI Rear Entry
BLO-RP2	Tie Hook, Crochet Style Hook
BLO-RP3	Tie Hook, Brass
BLO-RP4	String Cutter, Plastic
BLO-RP5	Body Plug, 1/8" NPT
BLO-RP6	Body Plug, 1/4" NPT




Replacement Valve



Part #	Description
BLO-RV1	Tilt Valve and/or Blow Gun with 1/4" NPT Female Inlet
BLO-RV2	Tilt Valve and/or Blow Gun with 1/4" NPT Male Bushing
BLO-RV3	1/4" Male Tilt Valve
BLO-RV4	1/4" Male Tilt Valve with Mylar Tip
BLO-RV5	Replacement Mylar Tip for Tilt Valve
BLO-RV6	1/4" Male NPT Push Valve

Replacement Tip



Part #	Description
BLO-RT1	Large Latex Balloon Tip
BLO-RT2	Mylar Balloon Tip
BLO-RT3	Large Latex Tip Attachment
BLO-RT4	Needle Valve Tip (Male)
BLO-RT5	Mixer Tip, 60% Helium / 40% Air

MYLAR BALLOON REGULATOR

Model BLO-4 has auto-fill Mylar plus standard latex balloon filler. Rugged all brass body, *Piston type* mechanism, drilled and tapped for tie hook and ribbon cutter.

- Automatic shut-off mylar filler to prevent over filling and bursting of expensive mylar balloon
- Plastic hand tight CGA 580 inlet connection with sintered bronze inlet filter
- 1 1/2" rear entry cylinder contents gauge



Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-4	CGA 580 Hand Tight	None	Available Separately

BALLOON BLOWER

BLO-3HO Series

Balloon Blower rugged all brass body, *Piston type* mechanism, drilled and tapped for tie hook and string cutter. Body contains an additional 1/4" NPT port to accommodate a second filler valve if desired.



Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-3HO	CGA 580 Hand Tight	None	Available Separately
BLO-3HO-TS	CGA 580 Hand Tight	None	Tie Hook String Cutter
BLO-3HO-WG	CGA 580 Hand Tight	1 1/2" 3000 PSI Rear Gauge	Available Separately
BLO-3HO-WGTS	CGA 580 Hand Tight	1 1/2" 3000 PSI Rear Gauge	Tie Hook String Cutter

HO - O-Ring Hand Tight G - Inlet Gauge TS - Tie - String Cutter

HIGH PRESSURE CYLINDER CAPS



Caps Painted Gray
6 1/2" - 3 1/8-11



Caps Painted White
6 1/2" - 3 1/8-11



Caps Painted Black
6 1/2" - 3 1/8-11

Caps for High Pressure Cylinder 80 through 330 cu. ft.

Number of threads per inch for **Fine** is 11 threads to an inch and **Coarse** is 7 threads to an inch.

Cap I.D. is 3 1/4"

Unpainted

Part #	Description	3+ Case	1+ Case	1+
8FRNP	Fine Thread	3.92	4.13	4.68
8CRNP	Coarse Thread	3.92	4.13	4.68

Painted - Fine Thread Most Common

Part #	Color	3+ Case	1+ Case	1+
8FRNP-08	White	4.49	4.72	5.26
8FRNP-02	Black	4.49	4.72	5.26
8FRNP-06	Gray	4.49	4.72	5.26

Painted - Coarse Thread

Part #	Color	3+ Case	1+ Case	1+
8CRNP-08	White	4.49	4.72	5.26
8CRNP-02	Black	4.49	4.72	5.26
8CRNP-06	Gray	4.49	4.72	5.26

*24 Pieces to a Case Pricing Per Each



Caps Unpainted
6 1/2" - 3 1/8-11

VALVE CAP WRENCH



Easily open hard to open caps.



Cap Wrench

Part #	Description	10+	1+
CW-CAP	Cap Wrench	9.95	14.95

FAST CAP TOOL

Speed up your filling operation with the Fast Cap Tool.

The power tool attachment for cylinder caps.



Part #	Description
CC-CR38	3/8" Drive Full Unit Cap Remover Tool

CAP NETTING

Cap netting can be used on High Pressure type caps and on the Acetylene type caps.



Part #	Description
CAP-G4	High Pressure Cap
CAP-ACT4	Acetylene Cap